

### Certificate of Analysis

<b>Company:</b> Grassroots Vermont	<b>Sample ID:</b> Blueberry Headband	<b>Report Date:</b> 3/4/2024
84 Lovers LN	<b>Lot:</b> INTG0003-BH-FBJ	<b>Date Analyzed:</b> 3/1/2024
Brandon, VT 05733	<b>Matrix:</b> Flower	<b>Analyst:</b> 057
<b>Customer ID:</b> 230207-0	<b>Date Sampled:</b> N/A	<b>Report ID:</b> C240228AX
<b>Grower License #:</b> INTG0003	<b>Date Received:</b> 2/28/2024	


### Cannabinoid Summary

Cannabinoid Profile	LOQ (mg/g)	Concentration (mg/g)	Weight (%)
CBDVA	0.0005	<LOQ	<LOQ
CBDV	0.0012	<LOQ	<LOQ
CBDA	0.0008	0.95	0.10
CBGA	0.0008	13.75	1.37
CBG	0.0019	1.56	0.16
CBD	0.0019	<LOQ	<LOQ
THCV	0.0021	<LOQ	<LOQ
CBN	0.0013	<LOQ	<LOQ
Δ9-THC	0.0020	5.27	0.53
Δ8-THC	0.0019	<LOQ	<LOQ
THC-A	0.0034	303.03	30.30
CBC	0.0024	<LOQ	<LOQ
<b>Total THC</b>		<b>271.03</b>	<b>27.10</b>
<b>Total CBD</b>		<b>0.84</b>	<b>0.08</b>
<b>Total Cannabinoids</b>		<b>324.56</b>	<b>32.46</b>

<b>27.1%</b>	<b>0.08%</b>
<b>Total THC</b>	<b>Total CBD</b>

<b>32.46%</b>	<b>0.53%</b>
<b>Total Cannabinoids</b>	<b>Δ9-THC</b>

<b>11.86%</b>	<b>1 : 0</b>
<b>Percent Moisture</b>	<b>THC : CBD Ratio</b>



**Cannabinoids Methodology:** High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:  
 Total THC = (THCA x 0.877) + Δ9-THC      Total CBD = (CBDA x 0.877) + CBD  
 Ratio of Total CBD: Total THC      Reagent Blanks: < LOQs for all analytes.

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.  
 Δ9-THC MU = ±0.005%      Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced, except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: Luke E. Mason  
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)



**Certificate of Analysis**

**Company:** Grassroots Vermont  
84 Lovers LN  
Brandon, VT 05733

**Sample ID:** Blueberry Headband  
**Lot:** INTG0003-BH-FBJ  
**Matrix:** Flower

**Report Date:** 3/6/2024  
**Date Analyzed:** 3/4/2024

**Customer ID:** 230207-0  
**Grower License #:** INTG0003

**Date Sampled:** N/A  
**Date Received:** 2/28/2024

**Analyst:** 048  
**Report ID:** C240228AX

**Terpenes Summary**


Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	0.614	0.061
Camphene	0.010	0.089	0.009
β-Myrcene	0.010	19.824	1.982
β-Pinene	0.010	1.386	0.139
3-Carene	0.010	0.012	0.001
α-Terpinene	0.010	0.012	0.001
Limonene	0.010	5.392	0.539
p-Cymene	0.010	<LOQ	<LOQ
Ocimene	0.010	<LOQ	<LOQ
Eucalyptol	0.010	0.022	0.002
γ-Terpinene	0.010	0.021	0.002
Terpinolene	0.010	0.087	0.009
Linalool	0.010	2.989	0.299
Isopulegol	0.010	<LOQ	<LOQ
Geraniol	0.010	<LOQ	<LOQ
Caryophyllene	0.010	2.271	0.227
α-Humulene	0.010	0.626	0.063
Trans-Nerolidol	0.010	<LOQ	<LOQ
Cis-Nerolidol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Caryophyllene Oxide	0.010	<LOQ	<LOQ
α-Bisabolol	0.010	0.056	0.006
<b>Total Terpenes</b>		<b>33.401</b>	<b>3.340</b>

11.86%

Percent  
Moisture

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS



Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.


Certified by: Luke E. M.  
Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

**Certificate of Analysis**

<b>Company:</b> Grassroots Vermont 84 Lovers LN Brandon, VT 05733	<b>Sample ID:</b> Blueberry Headband <b>Lot:</b> INTG0003-BH-FBJ <b>Matrix:</b> Flower	<b>Report Date:</b> 3/4/2024 <b>Date Analyzed:</b> 2/29/2024 <b>Analyst:</b> 052 <b>Report ID:</b> C240228AX
<b>Customer ID:</b> 230207-0 <b>Grower License #:</b> INTG0003	<b>Date Sampled:</b> N/A <b>Date Received:</b> 2/28/2024	

**Water Activity Summary**

Test	Method	Result
Water Activity	ASTM D8196: Determination of Water Activity in Cannabis Flower	0.4572



Test Methodology: Aqualab TDL 2 water activity meter with tunable diode laser

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: Luke E. M.  
Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

**Certificate of Analysis**
**Company:** Grassroots Vermont  
 84 Lovers LN  
 Brandon, VT 05733

**Sample ID:** Blueberry Headband  
**Lot:** INTG0003-BH-FBJ  
**Matrix:** Flower

**Report Date:** 3/21/2024  
**Date Analyzed:** 3/21/2024  
**Analyst:** 018  
**Report ID:** C240314AZ

**Customer ID:** 230207-0


**Date Sampled:** N/A

**Grower License #:** INTG0003

**Date Received:** 3/14/2024

**Pathogen Summary**

Target Pathogens	Method	LOD (cfu/g)	Result (cfu/g)
Aspergillus - flavus, fumigatus, niger, terreus	Aspergillus AOAC PTM No. 032104	5	< LOD
STEC	STEC Virx AOAC PTM No. 121203	5	< LOD
Salmonella spp.	Salmonella II AOAC PTM No. 010803	5	< LOD



Test Methodology: Bio-Rad IQ-Check PCR Kits


cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (&lt;LOD).

Reagent Blanks: &lt;LOD for all analytes

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:



Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

**Certificate of Analysis**

<b>Company:</b> Grassroots Vermont	<b>Sample ID:</b> Blueberry Headband	<b>Report Date:</b> 3/6/2024
84 Lovers LN	<b>Lot:</b> INTG0003-BH-FBJ	<b>Date Analyzed:</b> 3/4/2024
Brandon, VT 05733	<b>Matrix:</b> Flower	<b>Analyst:</b> 045
<b>Customer ID:</b> 230207-0	<b>Date Sampled:</b> N/A	<b>Report ID:</b> C240228AX
<b>Grower License #:</b> INTG0003	<b>Date Received:</b> 2/28/2024	


**Pesticides/Mycotoxins Summary**

Category II Residual Pesticide	LOQ (ppm)	Concentration (ppm)
Abamectin	0.0100	<LOQ
Acephate	0.0010	<LOQ
Acequinocyl	0.0010	<LOQ
Azoxystrobin	0.0010	<LOQ
Bifenazate	0.0010	<LOQ
Bifenthrin	0.0010	<LOQ
Carbaryl	0.0010	<LOQ
Cypermethrin	0.0100	<LOQ
Etoazole	0.0010	<LOQ
Imidacloprid	0.0010	<LOQ
Myclobutanil	0.0010	<LOQ
Pyrethrin I	0.0010	<LOQ
Pyrethrin II	0.0010	<LOQ
Spinosyn A	0.0010	<LOQ
Spinosyn D	0.0010	<LOQ

Category II Mycotoxin	LOQ (ppm)	Concentration (ppm)
Ochratoxin A	0.0020	NOT TESTED
Aflatoxin B1	0.0002	NOT TESTED
Alfatoxin B2	0.0010	NOT TESTED
Alfatoxin G1	0.0002	NOT TESTED
Alfatoxin G2	0.0010	NOT TESTED

Category I Residual Pesticide	LOQ (ppm)	Concentration (ppm)
Chlorpyrifos	0.0010	<LOQ
Imazalil	0.0010	<LOQ

11.86%
Percent Moisture



LOQ = The lowest quantity this method can reliably detect. Any pesticide or mycotoxins that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

ppb = parts per billion

Pesticides/Mycotoxin Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

Certified by: *Luke E. M.*  
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context.  
 Results apply to the samples as received.